

LIVING FIRE
by SPARTHERM®



FREESTANDING **WOOD BURNING STOVES**

Consumer Price List November 2022

Fire love. For a lifetime.

Contents

							
Front model	Tunnel model	2 Sided model	3 Sided model	Oval model	Round model	H2O stoves	Accessories
page 3	page 3	page 4-5	page 5	page 6-7	page 8-9	page 10	page 11

Welcome to Spartherm

The extremely high German standard of quality has helped Spartherm to evolve into the European market leader in wood-fired, elevating door fires and freestanding wood burning stoves. With more than of 55,000 fires produced each year, you have an extensive choice in several models. The collaboration with the (more than) 265 year old company DRU and your professional dealer ensures a seamless transition and stress-free installation. Spartherm: the unparalleled fire specialist!

Why Spartherm

With the freestanding wood burning stoves of Spartherm you choose top quality and guaranteed pleasure for many years.

Unique properties of wood stoves:

- 'Smart-close' door system for automatic closing and sealing
- Door can be locked open for easy cleaning
- Easy control of combustion with just a single slide
- Extendable and removable ash pan
- Double retardant plate for optimum conduction of flue gases
- Hidden adjustable feet accessible from inside the stove
- High efficiency of up to 80% for almost all models

Chamotte interior



Benefits of chamotte:


- Cast chamotte 100% solid
- Chamotte 4 cm thick
- Optimal heat distribution
- No condensation (as opposed to steel)
- High efficiency ensures clean glass

Benefits of the black interior:

- Modern and sleek look
- Striking flame picture thanks to the contrast with the dark background
- Reduces soot visibility

Covering designs and colours


Steel:



Natural stone:



Glass:



Ceramic:



RLA (Non-room air sealed operation)

These stoves are always provided with connection for the external combustion air intake, which can be used if required. They are not certified for room air sealed operation (Sealed air intake, exhaust pipe, door).

RLU (Room air sealed operation)

These stoves are certified by the DIBt for room air sealed operation. Sealed air intake, exhaust pipe and special door closure.

Front model 			
	Energy Efficiency Class	Price (€) RRP exc	Price (€) RRP inc
Linear Module XS RLA			
Linear Module XS, white chamotte, nero	A+	2021	2425
Base A for Linear Module XS, nero		225	270
Base B for Linear Module XS, nero		392	470
Base C for Linear Module XS, nero		459	550
Base D for Linear Module XS, nero		534	640
Linear Module M RLA			
Linear Module M, white chamotte, nero	A+	3250	3900
Base A for Linear Module M, nero		305	365
Base B for Linear Module M, nero		442	530
Base C for Linear Module M, nero		534	640
a7 RLA			
a7, white or black chamotte, nero or titan	A+	3725	4470
a7, white or black chamotte, pearl or white	A+	3863	4635
a7, white or black chamotte, porto blanco	A+	4280	5135
a7, white or black chamotte, soapstone	A+	4434	5320

Tunnel model 			
a8 RLA			
a8, white or black chamotte, nero or titan	A+	4117	4940
a8, white or black chamotte, pearl or white	A+	4271	5125
a8, white or black chamotte, porto blanco or soapstone	A+	4550	5460

¹⁾ Optional (only in combination with the stove), surcharge

A+ Energy efficiency class

	Energy Efficiency Class	Price (€) RRP exc	Price (€) RRP inc
2 Sided model 			
Lungo 2L/2R RLA			
Lungo 2L/2R, white or black chamotte, nero or titan	A+	4834	5800
Lungo 2L/2R, white or black chamotte, pearl or white	A+	4950	5940
Lungo 2L/2R, white or black chamotte, ceramic crater	A+	7238	8685
Handle standard or stainless steel Lungo 2L/2R, angular		100	120
Heat storage top Lungo 2L/2R		467	560
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Piko S steel RLA			
Piko S steel, white or black chamotte, nero or titan	A+	3980	4775
Piko S steel, white or black chamotte, pearl or white	A+	4117	4940
Piko S steel, white or black chamotte, turquoise or light grey	A+	4242	5090
Piko S steel, white or black chamotte, ground SST	A+	4359	5230
Handle standard Cubo S/L + Piko S/L, round, black		88	105
Handle stainless steel Cubo S/L + Piko S/L, angular		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Piko S RLA/RLU			
Piko S, white or black chamotte, nero or titan	A+	3438	4125
Piko S, white or black chamotte, pearl or white	A+	3571	4285
Handle standard Cubo S/L + Piko S/L, round, black		88	105
Handle stainless steel Cubo S/L + Piko S/L, angular		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Piko L RLA/RLU			
Piko L, white or black chamotte, nero or titan	A+	4125	4950
Piko L, white or black chamotte, pearl or white	A+	4259	5110
Handle standard Cubo S/L + Piko S/L, round, black		88	105
Handle stainless steel Cubo S/L + Piko S/L, angular		100	120
Heat storage top Cubo L + Piko L		367	440
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Cubo S RLA/RLU			
Cubo S, white or black chamotte, nero or titan	A+	3650	4380
Cubo S, white or black chamotte, pearl or white	A+	3784	4540
Handle standard Cubo S/L + Piko S/L, round, black		88	105
Handle stainless steel Cubo S/L + Piko S/L, angular		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560

	Energy Efficiency Class	Price (€) RRP exc	Price (€) RRP inc
Cubo L RLA/RLU			
Cubo L, white or black chamotte, nero or titan	A+	4367	5240
Cubo L, white or black chamotte, pearl or white	A+	4492	5390
Handle standard Cubo S/L + Piko S/L, round, black		88	105
Handle stainless steel Cubo S/L + Piko S/L, angular		100	120
Heat storage top Cubo L + Piko L		367	440
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Cubo L Style RLA/RLU			
Cubo L Style, white or black chamotte, nero or titan	A+	4571	5485
Cubo L Style, white or black chamotte, pearl or white	A+	4705	5645
Handle stainless steel Cubo S/L + Piko S/L, angular		100	120
Heat storage top Cubo L + Piko L		367	440
S-Thermatik NEO, automatic control ¹⁾		1300	1560

3 Sided model 			
Saphir RLU			
Saphir, black chamotte, nero or titan	A+	7305	8765
Saphir, black chamotte, pearl or white	A+	7409	8890
Saphir, black chamotte, special colour (on demand)	A+	7517	9020
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Trico S RLU			
Trico S, black chamotte, nero or titan	A+	3913	4695
Trico S, black chamotte, pearl or white	A+	4017	4820
Trico S, black chamotte, special colour (on demand)	A+	4125	4950
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Trico L RLU			
Trico L, black chamotte, nero or titan	A+	4492	5390
Trico L, black chamotte, pearl or white	A+	4600	5520
Trico L, black chamotte, special colour (on demand)	A+	4705	5645
S-Thermatik NEO, automatic control ¹⁾		1300	1560

¹⁾ Optional (only in combination with the stove), surcharge

 Energy efficiency class

	Energy Efficiency Class	Price (€) RRP exc	Price (€) RRP inc
Oval model 			
Senso S RLA			
Senso S, white or black chamotte, nero, front nero or titan	A+	3642	4370
Senso S, white or black chamotte, titan, front titan or pearl	A+	3642	4370
Senso S, white or black chamotte, nero, front pearl	A+	3709	4450
Senso S, white or black chamotte, pearl, front nero	A+	3709	4450
Senso S, white or black chamotte, pearl, front pearl	A+	3767	4520
Senso S, white or black chamotte, white, front white	A+	3767	4520
Senso S, white or black chamotte, nero or titan, front glass	A+	4271	5125
Senso S, white or black chamotte, soapstone, front nero or titan	A+	4271	5125
Senso S, white or black chamotte, sandstone Sahara, front nero	A+	4346	5215
Senso S, white or black chamotte, pearl or white, front glass	A+	4425	5310
Handle stainless steel Senso S, round		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Senso L RLA/RLU			
Senso L, white or black chamotte, nero or titan, front nero or titan	A+	4067	4880
Senso L, white or black chamotte, nero, front pearl	A+	4117	4940
Senso L, white or black chamotte, pearl, front nero	A+	4117	4940
Senso L, white or black chamotte, pearl, front pearl	A+	4192	5030
Senso L, white or black chamotte, white, front white	A+	4192	5030
Senso L, white or black chamotte, stainless steel, front nero	A+	4271	5125
Senso L, white or black chamotte, soapstone, front nero of titan	A+	4980	5975
Senso L, white or black chamotte, stainless steel, front glass	A+	5180	6215
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		100	120
Heat storage top Senso L		325	390
S-Thermatik NEO, automatic control ¹⁾		1300	1560

	Energy Efficiency Class	Price (£) RRP exc	Price (£) RRP inc
Oval model 			
Senso L klassik RLA/RLU			
Senso L klassik, white or black chamotte, porto bianco, front nero	A+	5121	6145
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Senso L fashion RLA/RLU			
Senso L fashion, white or black chamotte, ceramic concrete, nero	A+	4717	5660
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Sino L RLA/RLU			
Sino L, white or black chamotte, soapstone, front nero or titan	A	4171	5005
Sino L, white or black chamotte, sandstone Sahara, front nero	A	4309	5170
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		100	120
Rotary table Sino L (RLA) ¹⁾		517	620
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Sino City RLA/RLU			
Sino City, white or black chamotte, porto bianco, front nero	A+	4221	5065
Sino City, white or black chamotte, soapstone, front nero	A+	4221	5065
Sino City, white or black chamotte, sandstone Sahara, front nero	A+	4346	5215
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Moro RLA/RLU			
Moro, white or black chamotte, soapstone, nero	A+	4930	5915
Moro, white or black chamotte, sandstone Sahara, nero	A+	5238	6285
Handle stainless steel Moro, round		88	105
Cladding for wood compartment Moro, sandstone Sahara		213	255
Cladding for wood compartment Moro, soapstone		180	215
S-Thermatik NEO, automatic control ¹⁾		1300	1560

¹⁾ Optional (only in combination with the stove), surcharge

A+ Energy efficiency class

	Energy Efficiency Class	Price (£) RRP exc	Price (£) RRP inc
Round model 			
a3 RLA/RLU			
a3, white or black chamotte, nero or titan	A+	4734	5680
a3, white or black chamotte, pearl or white	A+	4880	5855
Heat storage top/back a3		396	475
Rotary table a3 (RLA) ¹⁾		525	630
S-Thermatik NEO, automatic control ¹⁾		1300	1560
a4 RLA/RLU			
a4, white or black chamotte, nero or titan	A+	5180	6215
a4, white or black chamotte, pearl or white	A+	5325	6390
Handle stainless steel a4/a4 H2O, round		92	110
Heat storage back a4		396	475
Heat storage top a4		396	475
Rotary table a4 (RLA) ¹⁾		525	630
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Passo XS RLA/RLU			
Passo XS, white or black chamotte, nero or titan	A+	3738	4485
Passo XS, white or black chamotte, nero or titan, rotating	A+	4263	5115
Passo XS, white or black chamotte, pearl or white	A+	3871	4645
Passo XS, white or black chamotte, pearl or white, rotating	A+	4396	5275
Passo XS, white or black chamotte, ground SST	A+	3988	4785
Passo XS, white or black chamotte, ground SST, rotating	A+	4513	5415
Handle stainless steel Passo XS/XS Style/XS Tripod, round		100	120
Handle wood Passo XS/XS Style, round		100	120
Rotary table Passo XS (RLA) ¹⁾		525	630
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Passo XS Style RLA/RLU			
Passo XS Style, white or black chamotte, nero or titan	A+	4230	5075
Passo XS Style, white or black chamotte, pearl or white	A+	4346	5215
Passo XS Style, white or black chamotte, turquoise or light grey	A+	4463	5355
Handle stainless steel Passo XS/XS Style/XS Tripod, round		100	120
Handle wood Passo XS/XS Style, round		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560

	Energy Efficiency Class	Price (£) RRP exc	Price (£) RRP inc
Round model 			
Passo XS Tripod RLA/RLU			
Passo XS Tripod, white or black chamotte, nero or titan		4717	5660
Passo XS Tripod, white or black chamotte, pearl or white		4834	5800
Passo XS Tripod, white or black chamotte, turquoise or light grey		4950	5940
Handle stainless steel Passo XS/XS Style/XS Tripod, round		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Passo S RLA/RLU			
Passo S, white or black chamotte, nero or titan		4813	5775
Passo S, white or black chamotte, pearl or white		4930	5915
Passo S, white or black chamotte, ground SST		5180	6215
Handgreep RVS Passo S/L, rond		100	120
Rotary table Passo S (RLA) ¹⁾		525	630
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Passo S RLA DEFRA			
Passo S, white or black chamotte, nero or titan, DEFRA		4813	5775
Passo S, white or black chamotte, pearl or white, DEFRA		4930	5915
Handle stainless steel Passo S/L, round		100	120
Rotary table Passo S (RLA) ¹⁾		525	630
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Passo L RLA/RLU			
Passo L, white or black chamotte chamotte, nero or titan		4930	5915
Passo L, white or black chamotte chamotte, pearl or white		5067	6080
Passo L, white or black chamotte chamotte, ground SST		5296	6355
Handle stainless steel Passo S/L, round		100	120
Heat storage top Passo L		392	470
Rotary table Passo L (RLA) ¹⁾		525	630
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Passo L RLA DEFRA			
Passo L, white or black chamotte chamotte, nero or titan, DEFRA		4930	5915
Passo L, white or black chamotte chamotte, pearl or white, DEFRA		5067	6080
Handle stainless steel Passo S/L, round		100	120
Heat storage top Passo L		392	470
Rotary table Passo L (RLA) ¹⁾		525	630
S-Thermatik NEO, automatic control ¹⁾		1300	1560

¹⁾ Optional (only in combination with the stove), surcharge

 Energy efficiency class

	Energy Efficiency Class	Price (€) RRP exc	Price (€) RRP inc
H2O stoves			
Piko H20, RLA			
Piko H20, white or black chamotte chamotte, nero or titan	A+	5588	6705
Piko H20, white or black chamotte chamotte, pearl or white	A+	5705	6845
Piko H20, black chamotte, nero, S-Thermatik NEO black	A+	6888	8265
Connection kit for Piko H20		280	335
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Mounting template for Piko H20			
Senso M H20 RLA			
Senso M H20, white or black chamotte, nero or titan, front nero or titan	A+	5725	6870
Senso M H20, white or black chamotte, nero, front pearl	A+	5784	6940
Senso M H20, white or black chamotte, pearl, front nero	A+	5784	6940
Senso M H20, white or black chamotte, pearl, front pearl	A+	5871	7045
Senso M H20, white or black chamotte, white, front white	A+	5871	7045
Senso M H20, white or black chamotte, stainless steel, front nero	A+	5871	7045
Senso M H20, white or black chamotte, nero or titan, front glass	A+	6413	7695
Senso M H20, white or black chamotte, pearl or white, front glass	A+	6530	7835
Senso M H20, white or black chamotte, stainless steel, front glass	A+	6663	7995
Senso M H20, white or black chamotte, soapstone, front nero or titan	A+	6734	8080
Senso M H20, black chamotte, nero, front nero, S-Thermatik NEO black	A+	7025	8430
Connection kit for Senso M H20		280	335
Handle stainless steel Senso M H20/L/L klassik/L fashion + Sino L/City, round		100	120
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Mounting template for Senso M H20			
a4 H20, RLA/RLU			
a4 H20, white or black chamotte, nero or titan	A+	6188	7425
a4 H20, white or black chamotte, pearl or white	A+	6325	7590
a4 H20, black chamotte, nero, S-Thermatik NEO black	A+	7488	8985
Handle stainless steel a4/a4 H20, round		92	110
Connection kit for a4 H20		280	335
S-Thermatik NEO, automatic control ¹⁾		1300	1560
Mounting template for a4 H20			

Price (€) RRP exc

Price (€) RRP inc

Price (€) RRP exc

Price (€) RRP inc

Accessoires

Accessoires for S-Thematik NEO

Sensor water/air for S-Thematik NEO	42	50
-------------------------------------	----	----

S-USI differential pressure meter

S-USI II freestanding fires	1017	1220
Cover for S-USI II housing nero, including support plate	84	100
Cover for S-USI II housing paret, including support plate	84	100
Cover for S-USI II housing titan, including support plate	84	100
Support plate complete for S-USI II housing	42	50
S-USI II installation in factory adjusted	109	130

Installation material for H2O

Installation kit for H2O, kit 1	1268	1521
Installation kit for H2O, kit 2	1259	1510
Pump unit ESBE LTC341 60°C	621	745
Differential controller KSW	321	385

Floor plates

Floor plate glass Ø 90 cm	149	178
---------------------------	-----	-----

Flue material Ø 150 mm

Bend Ø150 45°, pearl	75	90
Bend Ø150 45°, titan	71	85
Bend Ø150 45°, nero	75	90
Bend Ø150 90°, adjustable, pearl	121	145
Bend Ø150 90°, adjustable, titan	117	140
Bend Ø150 90°, adjustable, nero	121	145
Flue pipe Ø150 250mm, pearl	67	80
Flue pipe Ø150 250mm, titan	63	75
Flue pipe Ø150 250mm, nero	67	80
Flue pipe Ø150 500mm, pearl	84	100
Flue pipe Ø150 500mm, titan	75	90
Flue pipe Ø150 500mm, nero	75	90
Flue pipe Ø150 1000mm, pearl	121	145
Flue pipe Ø150 1000mm, titan	109	130
Flue pipe Ø150 1000mm, nero	109	130
Flue spigot Ø150	55	65
Rosette Ø150, pearl	67	80
Rosette Ø150, titan	59	70
Rosette Ø150, black	55	65

All Spartherm freestanding wood stoves are supplied with glove and glass cleaner.

LIVING FIRE

by SPARTHERM®



Drugasar Ltd.
Deans Road | Swinton
Manchester | M27 0JH
United Kingdom
T. +44 (0)161 - 793 8700
www.drufire.co.uk

All mentioned prices are recommended consumer prices in £, valid in United Kingdom. This price list is valid from the 1st of November 2022 to the 30 of June 2023, subject to changes. With this edition, all previous price lists expire.



www.drufire.com



BY APPOINTMENT OF THE COURT
OF THE NETHERLANDS

since
1754



Art. 993372 | 2022-11

DRU: Member of the Spartherm-Group

SOCIAL MEDIA: For more inspiration and information, visit one of our social media channels
SPARTHERM CONSUMER or scan the QR code: NOVEMBER 2022

